ELSEVIER

Wear 216 (1998) 277

WEAR

Author Index of Volume 216

Abdel-Aal, H.A., 41
Ando, Y., 115

Börner, H., 150
Bryant, M.D., 60

Ceschini, L., 229
Chang, C.C., 77
Chen, J., 213
Cholakov, G.S., 194
Chun, K., 70
Crudu, I., 251

Daehn, G.S., 229
De Baets, P., 15, 131, 138
Degrieck, J., 138
Devenski, P., 194
Dong, J.X., 87, 92

Effner, U., 123
Engel, U., 244

Filipowicz, K., 202
Forder, A., 184

Garagnani, G.L., 229
Geiger, M., 244
Ghosh, M.K., 106
Gradt, T., 150
Gudeman, C.S., 70

Harrison, D., 184
Hisakado, T., 1
Horng, J.H., 8
Hu, Z.S., 87, 92
Hübner, W., 150

Ino, J., 115
Ionescu, M.-P., 251
Iontchev, H.A., 194

Kalacska, G., 131
Kato, K., 172, 179
Kennedy, A.R., 160
Klimenko, S.A., 239
Kubo, S., 172

Lairson, B.M., 70
Liu, W., 35
Lyashko, V.A., 239

Martini, C., 229
Munteanu, V., 251
Murakami, T., 213

Nagasawa, H., 179
Nedelcu, P., 251

Pandey, R.K., 106
Pfestorf, M., 244
Potemkin, M.M., 239

Quinn, T.F.J., 262

Rehbein, P., 97

Sandu, I.-F., 251
Sawae, Y., 213
Schiffmann, K., 27
Schneider, T., 150
Schouterden, K., 70
Scieszka, S.F., 202
Shipway, P.H., 160
Smith, S.T., 41
Stanulov, K.G., 194
Strijckmans, K., 131
Sugimura, J., 220
Szeri, A.Z., 77

Tewari, A., 60
Thew, M., 184

Umeda, A., 220

Van De Velde, F., 15, 131, 138
Van Peteghem, A.P., 131

Wallaschek, J., 97
Wang, Q., 35
Warashina, T., 1
Wilkes, A.J., 160
Woydt, M., 123

Xue, Q., 35

Yamamoto, Y., 220
York, D., 60

Zhang, J., 35

Elsevier Science S.A.

ELSEVIER

Wear 216 (1998) 279–282

WEAR

Subject Index of Volume 216

Acoustic emission (AE)
relationship between friction and wear properties and acoustic emission characteristics: iron pin on hardened bearing steel disk, 1
AFM
friction and pull-off forces on submicron-size asperities, 115
Al_2O_3/Al
friction and wear behavior of C^4 Al_2O_3/Al composites under dry sliding conditions, 229
Alumina
friction and wear behaviour of polymer/steel and alumina/alumina under high-frequency fretting conditions, 97
Antiwear additive
study on antiwear and reducing friction additive of nanometer titanium oxide, 92
Atomic force microscope
microwear experiments on metal-containing amorphous hydrocarbon hard coatings by AFM: Wear mechanisms and models for the load and time dependence, 27

Blast furnace
a tribosystemic approach to refractory lining destruction in blast furnaces, 251
Boundary lubrication
studies of tribological behavior and separation between surfaces at initial boundary lubrication, 8
Brickwork
a tribosystemic approach to refractory lining destruction in blast furnaces, 251
Brittle fracture
an integrated testing method for cermet abrasion resistance and fracture toughness evaluation, 202

Carbon brushes
effects of micro (rocking) vibrations and surface waviness on wear and wear debris, 60
Carbon material
effect of arc discharge on wear rate of Cu-impregnated carbon strip in unlubricated sliding against Cu trolley under electric current, 172
Centre-pivoted pads
the friction force during stick–slip with velocity reversal, 138
Ceramics
importance of machining on tribology of lubricated slip–rolling contacts of Si_3N_4, SiC, Si_3N_4–TiN and ZrO_2, 123
Cermets
an integrated testing method for cermet abrasion resistance and fracture toughness evaluation, 202
CFD
a numerical investigation of solid particle erosion experienced within oilfield control valves, 184
Coatings
tribological behaviour of materials at cryogenic temperatures, 150
Co-continuous ceramic composite
friction and wear behavior of C^4 Al_2O_3/Al composites under dry sliding conditions, 229
Composite
sliding wear behaviour of aluminium-based metal matrix composites produced by a novel liquid route, 160
Condition monitoring
characterization of wear particles and their relations with sliding conditions, 220
Conductivity
on friction-induced temperatures of rubbing metallic pairs with temperature-dependent thermal properties, 41
Contact recording
friction and head and disk interface durability in contact recording, 70
Contact resistance
studies of tribological behavior and separation between surfaces at initial boundary lubrication, 8
Contact strip
effect of arc discharge on wear rate of Cu-impregnated carbon strip in unlubricated sliding against Cu trolley under electric current, 172
wear mechanism of copper alloy wire sliding against iron-base strip under electric current, 179
Control chokes
a numerical investigation of solid particle erosion experienced within oilfield control valves, 184
Copper
effect of arc discharge on wear rate of Cu-impregnated carbon strip in unlubricated sliding against Cu trolley under electric current, 172
Copper alloy
wear mechanism of copper alloy wire sliding against iron-base strip under electric current, 179
Counterface wear
sliding wear behaviour of aluminium-based metal matrix composites produced by a novel liquid route, 160
Cryogenic engineering
tribological behaviour of materials at cryogenic temperatures, 150
Cryotribometer
tribological behaviour of materials at cryogenic temperatures, 150

Deisel engine
oxidational wear modelling. Part III. The effects of speed and elevated temperatures, 262
Destruction
a tribosystemic approach to refractory lining destruction in blast furnaces, 251
Dry sliding
friction and wear behavior of C^4 Al_2O_3/Al composites under dry sliding conditions, 229
3D surface parameters
three-dimensional characterization of surfaces for sheet metal forming, 244

Elsevier Science S.A.

Elastohydrodynamic lubrication
a thermal analysis of traction in elastohydrodynamic rolling/sliding line contacts, 106
Electric railways
effect of arc discharge on wear rate of Cu-impregnated carbon strip in unlubricated sliding against Cu trolley under electric current, 172
wear mechanism of copper alloy wire sliding against iron-base strip under electric current, 179

Focused ion beam
friction and pull-off forces on submicron-size asperities, 115
Four ball machine
quantitative estimation and prediction of tribological performance of pure additive compounds through computer modelling, 194
Fracture toughness
an integrated testing method for cermet abrasion resistance and fracture toughness evaluation, 202
Fretting
experimental study by means of thin layer activation of the humidity influence on the fretting wear of steel surfaces, 131
Friction
a new approach of stick–slip based on quasi-harmonic tangential oscillations, 15
importance of machining on tribology of lubricated slip–rolling contacts of Si_3N_4, SiC, Si_3N_4–TiN and ZrO_2, 123
the friction force during stick–slip with velocity reversal, 138
tribological behaviour of materials at cryogenic temperatures, 150
effect of synovia constituents on friction and wear of ultra-high molecular weight polyethylene sliding against prosthetic joint materials, 213
Friction and wear behaviors
investigation of the friction and wear behaviors of Cu(I) and Cu(II) dioctyldithiophosphates as additives in liquid paraffin, 35
Friction and wear characteristics
friction and wear behaviour of polymer/steel and alumina/alumina under high-frequency fretting conditions, 97
Friction coefficient
relationship between friction and wear properties and acoustic emission characteristics: iron pin on hardened bearing steel disk, 1
Friction force
friction and pull-off forces on submicron-size asperities, 115

Grinding
a thermal analysis of grinding, 77

Harmonic oscillations
a new approach of stick–slip based on quasi-harmonic tangential oscillations, 15
High-frequency tribometer
friction and wear behaviour of polymer/steel and alumina/alumina under high-frequency fretting conditions, 97
Humidity
experimental study by means of thin layer activation of the humidity influence on the fretting wear of steel surfaces, 131
Hydrocarbon hard coating
microwear experiments on metal-containing amorphous hydrocarbon hard coatings by AFM: Wear mechanisms and models for the load and time dependence, 27

Instability
a new approach of stick–slip based on quasi-harmonic tangential oscillations, 15

JKR theory
friction and pull-off forces on submicron-size asperities, 115

Kirchoff transformation
on friction-induced temperatures of rubbing metallic pairs with temperature-dependent thermal properties, 41

Lambda ratio
studies of tribological behavior and separation between surfaces at initial boundary lubrication, 8
Legendre polynomial
a thermal analysis of traction in elastohydrodynamic rolling/sliding line contacts, 106
Lobatto points
a thermal analysis of traction in elastohydrodynamic rolling/sliding line contacts, 106
Lubricant additives
quantitative estimation and prediction of tribological performance of pure additive compounds through computer modelling, 194
Lubricated condition
relationship between friction and wear properties and acoustic emission characteristics: iron pin on hardened bearing steel disk, 1
Lubricated wear
characterization of wear particles and their relations with sliding conditions, 220
Lubricating oil
study on antiwear and reducing friction additive of nanometer titanium oxide, 92
Lubrication
a new approach of stick–slip based on quasi-harmonic tangential oscillations, 15

Machining
importance of machining on tribology of lubricated slip–rolling contacts of Si_3N_4, SiC, Si_3N_4–TiN and ZrO_2, 123
Macrowear
microwear experiments on metal-containing amorphous hydrocarbon hard coatings by AFM: Wear mechanisms and models for the load and time dependence, 27
Material durability
comparative durability of materials in wear, 239
Microwear
microwear experiments on metal-containing amorphous hydrocarbon hard coatings by AFM: Wear mechanisms and models for the load and time dependence, 27
Mining tools
an integrated testing method for cermet abrasion resistance and fracture toughness evaluation, 202
Mixed lubrication
studies of tribological behavior and separation between surfaces at initial boundary lubrication, 8
MMC
sliding wear behaviour of aluminium-based metal matrix composites produced by a novel liquid route, 160
Molecular design
quantitative estimation and prediction of tribological performance of pure additive compounds through computer modelling, 194
Morphology
characterization of wear particles and their relations with sliding conditions, 220

Nanometer particle
study on antiwear and reducing friction additive of nanometer titanium borate, 87
study on antiwear and reducing friction additive of nanometer titanium oxide, 92
Neural network
characterization of wear particles and their relations with sliding conditions, 220

Nitrogenated carbon
friction and head and disk interface durability in contact recording, 70

Oil additive
investigation of the friction and wear behaviors of Cu(I) and Cu(II) dioctyldithiophosphates as additives in liquid paraffin, 35
Oleic acid
relationship between friction and wear properties and acoustic emission characteristics: iron pin on hardened bearing steel disk, 1
Organic copper salts
investigation of the friction and wear behaviors of Cu(I) and Cu(II) dioctyldithiophosphates as additives in liquid paraffin, 35
Organic sulphides
quantitative estimation and prediction of tribological performance of pure additive compounds through computer modelling, 194
Oxidational wear modelling
oxidational wear modelling. Part III. The effects of speed and elevated temperatures, 262

Pin-on-disk test
effect of synovia constituents on friction and wear of ultra-high molecular weight polyethylene sliding against prosthetic joint materials, 213
Polymer/steel
friction and wear behaviour of polymer/steel and alumina/alumina under high-frequency fretting conditions, 97
Polymers
tribological behaviour of materials at cryogenic temperatures, 150
Pull-off force
friction and pull-off forces on submicron-size asperities, 115

Quantitative structure–property relationships
quantitative estimation and prediction of tribological performance of pure additive compounds through computer modelling, 194

Radius of curvature
friction and pull-off forces on submicron-size asperities, 115

Scanning force microscopy
friction and head and disk interface durability in contact recording, 70
Sclerometer beam oscillation
comparative durability of materials in wear, 239
Separation
studies of tribological behavior and separation between surfaces at initial boundary lubrication, 8
Sheet metal forming
three-dimensional characterization of surfaces for sheet metal forming, 244
Sintered alloy
wear mechanism of copper alloy wire sliding against iron-base strip under electric current, 179
Sliding traction coefficient
a thermal analysis of traction in elastohydrodynamic rolling/sliding line contacts, 106
Sliding wear
sliding wear behaviour of aluminium-based metal matrix composites produced by a novel liquid route, 160
Slip–rolling test
importance of machining on tribology of lubricated slip–rolling contacts of Si_3N_4, SiC, Si_3N_4–TiN and ZrO_2, 123
Solid particle erosion
a numerical investigation of solid particle erosion experienced within oilfield control valves, 184
Steel
experimental study by means of thin layer activation of the humidity influence on the fretting wear of steel surfaces, 131
Stick–slip
a new approach of stick–slip based on quasi-harmonic tangential oscillations, 15
Stick–slip
the friction force during stick–slip with velocity reversal, 138
Supercritical dry
study on antiwear and reducing friction additive of nanometer titanium oxide, 92
Surface roughness
relationship between friction and wear properties and acoustic emission characteristics: iron pin on hardened bearing steel disk, 1
Surface texture
characterization of wear particles and their relations with sliding conditions, 220
Surface waviness
effects of micro (rocking) vibrations and surface waviness on wear and wear debris, 60
Synovia constituents
effect of synovia constituents on friction and wear of ultra-high molecular weight polyethylene sliding against prosthetic joint materials, 213

Temperature
on friction-induced temperatures of rubbing metallic pairs with temperature-dependent thermal properties, 41
Temperature rise
a thermal analysis of traction in elastohydrodynamic rolling/sliding line contacts, 106
Thermal analysis
a thermal analysis of grinding, 77
Thermal loading parameter
a thermal analysis of traction in elastohydrodynamic rolling/sliding line contacts, 106
Thin layer activation
experimental study by means of thin layer activation of the humidity influence on the fretting wear of steel surfaces, 131
TiC
sliding wear behaviour of aluminium-based metal matrix composites produced by a novel liquid route, 160
Titanium Borate
study on antiwear and reducing friction additive of nanometer titanium borate, 87
Titanium oxide
study on antiwear and reducing friction additive of nanometer titanium oxide, 92
Topographical analysis
relationship between friction and wear properties and acoustic emission characteristics: iron pin on hardened bearing steel disk, 1
Tribology
study on antiwear and reducing friction additive of nanometer titanium borate, 87
study on antiwear and reducing friction additive of nanometer titanium oxide, 92
three-dimensional characterization of surfaces for sheet metal forming, 244
Tribosystem
a tribosystemic approach to refractory lining destruction in blast furnaces, 251
oxidational wear modelling. Part III. The effects of speed and elevated temperatures, 262
Trolley wire
effect of arc discharge on wear rate of Cu-impregnated carbon strip in unlubricated sliding against Cu trolley under electric current, 172
wear mechanism of copper alloy wire sliding against iron-base strip under electric current, 179

Tungsten carbide
an integrated testing method for cermet abrasion resistance and fracture toughness evaluation, 202

Ultrahigh molecular weight polyethylene
effect of synovia constituents on friction and wear of ultra-high molecular weight polyethylene sliding against prosthetic joint materials, 213
Unadditivated paraffinic oil
importance of machining on tribology of lubricated slip–rolling contacts of Si_3N_4, SiC, Si_3N_4–TiN and ZrO_2, 123

Velocity reversal
the friction force during stick–slip with velocity reversal, 138
Vibrations
effects of micro (rocking) vibrations and surface waviness on wear and wear debris, 60
Volume-averaging techniques
a thermal analysis of grinding, 77

Water
importance of machining on tribology of lubricated slip–rolling contacts of Si_3N_4, SiC, Si_3N_4–TiN and ZrO_2, 123

Wear
effects of micro (rocking) vibrations and surface waviness on wear and wear debris, 60
importance of machining on tribology of lubricated slip–rolling contacts of Si_3N_4, SiC, Si_3N_4–TiN and ZrO_2, 123
experimental study by means of thin layer activation of the humidity influence on the fretting wear of steel surfaces, 131
tribological behaviour of materials at cryogenic temperatures, 150
effect of arc discharge on wear rate of Cu-impregnated carbon strip in unlubricated sliding against Cu trolley under electric current, 172
wear mechanism of copper alloy wire sliding against iron-base strip under electric current, 179
an integrated testing method for cermet abrasion resistance and fracture toughness evaluation, 202
effect of synovia constituents on friction and wear of ultra-high molecular weight polyethylene sliding against prosthetic joint materials, 213
comparative durability of materials in wear, 239
a tribosystemic approach to refractory lining destruction in blast furnaces, 251
Wear particle
characterization of wear particles and their relations with sliding conditions, 220
Wear rate
relationship between friction and wear properties and acoustic emission characteristics: iron pin on hardened bearing steel disk, 1